



HELLENIC NOTICES TO MARINERS

Monthly edition 7

31 JULY 2009

Notices from 155 up to 168/09

The following notices involve the Hellenic Charts as well as the List of Lights, which are also available on the Internet.

MAIL ADDRESS : HELLENIC NAVY
HYDROGRAPHIC SERVICE
SAFETY OF NAVIGATION DIVISION
TGN 1040, ATHENS

Tel: (+30) 210 6551771
(+30) 210 6551770
(+30) 210 6551806

Fax: (+30) 210 6517811
(+30) 210 6551728

E-mail: nasf@hnhs.gr

Telex: 21-5835 GEN GR

The Hellenic Notices are available at the following web site of Hydrographic Service:
.hnhs.

Commodore D. PALIATSOS HN
Director

The information provided with the notices to mariners related to Nautical charts and Nautical publications issued by H.N.H.S and must be depicted on its nautical charts and other navigational publications.

The geographic positions referred, on this publication related to the largest scale chart, unless otherwise stated.

The limits of sectors and visibility arcs as well as the alignment of direction lights and leading lights are given as seen by an observer from seaward.

All bearings refer to the true compass and are measured clockwise from 000° to 359°.

The mariners are kindly requested to notify immediately the discovery of either new or possible dangers in navigation, to the Hydrographic Service, T.G.N. 1040
Tel: (+30) 210 6551771 Fax: (+30) 210 6517811.

Unlit or unreliable lights must be notified immediately to the :

Mail Address : Lighthouse Authorities 18510 PIRAEUS

In addition to postal methods the following additional communications facilities are available.

Tel: (+30) 210 4581508 , (+30) 210 4531856

Fax: (+30) 210 4536760

E-mail : -dieyu@hellenicnavy. with notification to the Hydrographic Service.

This kind of information is crucial and contributes to the safety of navigation.

The mariners can receive the Notice's issues free of charge from Port Authorities, as mentioned on notice No 6 or from the Hellenic Navy Hydrographic Service.

NUMERIC INDEX OF HELLENIC NOTICES TO MARINERS
AFFECTING NAUTICAL CHARTS AND
LIST OF LIGHTS

NOTICE	CHARTS No – LIST OF LIGHTS
155	Chart: 2311
156	Chart: 40
157	Chart: 231/3
158	Chart: 2, 74
159	Chart: 213/3,030,21 (INT3416), 2
160	Chart: 232/1, 232, 2, 74, 109 (INT309),
161	Chart: 433/1 (INT 3793)
162	Chart: 413/6
163	Chart: 414
164	Chart: (INT 3734) 423, 4235
165	Chart: 311/1(INT 3773), 255
166	Chart: 340/1
167	Chart: 44 (INT 3714), 45
168	LIST OF LIGHTS

NUMERIC INDEX OF HELLENIC NAUTICAL CHARTS AND
LIST OF LIGHTS AFFECTED BY THE HELLENIC
NOTICES TO MARINERS

No. CHARTS	NOTICES
Chart: 2	158, 159, 160
21 (INT 3416)	159
030	159
040	156
44 (INT 3714)	167
45	167
74	158, 160
109 (INT 309)	160
213/3	159
231/3	157
232	160
232/1	160
255	165
311/1 (INT 3773)	165
340/1	166
413/6	162
414	163
(INT 3734) 423	164
433/1 (INT 3793)	161
2311	155
4235	164
LIST OF LIGHTS	168

Notice No. 155/09

MEDITERRANEAN SEA – ELLAS – Rio Antirio strait – Submarine Cables.

1. Insert: submarine cable, ~~~~~ joining:

a. 38° 20' 15'',7N - 021° 46' 14'',5 E

b. 38° 20' 10'',1N - 021° 46' 36'',9 E

c. 38° 19' 02'',5N - 021° 47' 41'',0 E

d. 38° 18' 42'',5N - 021° 47' 52'',2 E

2. Insert: submarine cable, ~~~~~ joining:

a. 38° 20' 15'',7N - 021° 46' 14'',5 E

b. 38° 20' 14'',2N - 021° 46' 21'',0 E

c. 38° 20' 07'',7N - 021° 46' 35'',1 E

d. 38° 18' 42'',5N - 021° 47' 52'',2 E

Chart: **2311** [85/2009]

(Information: H.N.H.S)

Notice No: 156/09

MEDITERRANEAN SEA – ELLAS – Rio Antirio strait – Submarine Cables.

Insert: submarine cable, ~~~~~ ,joining:

a. 38° 20' 19'',6N - 021° 46' 16'',9 E

b. 38° 20' 14'',0N - 021° 46' 39'',3 E

c. 38° 19' 06'',5N - 021° 47' 43'',4 E

d. 38° 18' 46'',4N - 021° 47' 54'',5 E

Chart: **40** [41/2009]

(Information : H.N.H.S)

Notice No: 157/09

MEDITERRANEAN SEA – ELLAS – Rio Antirio strait – Submarine Cables.

1. Insert: submarine cable, ~~~~~, joining:

- a. 38° 20' 19'',6N - 021° 46' 17'',9 E
- b. 38° 20' 18'',1N - 021° 46' 23'',3 E
- c. 38° 20' 14'',0N - 021° 46' 39'',3 E
- d. 38° 20' 12'',1N - 021° 46' 41'',9 E
- e. 38° 19' 06'',5N - 021° 47' 43'',4 E
- f. 38° 18' 49'',6N - 021° 47' 52'',0 E
- g. 38° 18' 46'',4N - 021° 47' 54'',5 E

2. Insert: submarine cable, ~~~~~, joining :

- a. 38° 20' 19'',6N - 021° 46' 16'',9 E
- b. 38° 20' 18'',1N - 021° 46' 23'',3 E
- c. 38° 20' 17'',1N - 021° 46' 26'',5 E
- d. 38° 20' 11'',6N - 021° 46' 37'',4E
- e. 38° 20' 09'',3N - 021° 46' 40'',2E
- f. 38° 18' 51'',1N - 021° 47' 49'',6E
- g. 38° 18' 49'',6N - 021° 47' 52'',0E
- h. 38° 18' 46'',4N - 021° 47' 54'',5E

Chart: **231/3** [57/2007]

(Information: H.N.H.S)

Notice No: 158/09

MEDITERRANEAN SEA – ELLAS – Korinthian Gulf – Kriseos Bay – Trachilos Shoal – Depth.

Substitute depth: 3 for depth :

38° 21' 00'',5N - 022° 24' 14'',7 E

Chart: 2 [134/2009], 74 [41/2009]

(Information : H.N.H.S)

Notice No: 159/09

MEDITERRANEAN SEA – ELLAS – Ionian sea – North Echinades Island – Chart UpDated.

1. Insert depth: : $38^{\circ} 29' 39'',4N - 020^{\circ} 58' 28'',6E.$
2. Delete depth : : $38^{\circ} 29' 36'',5N - 020^{\circ} 58' 25'',6E.$
3. Insert depth : : $38^{\circ} 29' 39'',4N - 020^{\circ} 58' 28'',6E.$
4. Substitute depth: 9 for depth: : $38^{\circ} 29' 39'',4N - 020^{\circ} 58' 28'',6E.$

Chart: 213/3 «Echinades islands – channel and port of Mesologion» (Plan A «Astakos Bay and Echinades islands») (1) [135/2009], **030** (2,3) [135/2009], **21** (INT 3416) (4) [134/2009], 2 (5) [158/2009].

(Information : H.N.H.S)

Notice No: 160/09

MEDITERRANEAN SEA – ELLAS – Korinthian Gulf – Kriseos Bay – Chart UpDated.

1. Delete depth: 31: $38^{\circ} 20' 18''N - 020^{\circ} 25' 00'' E$
2. Substitute depth: 53, for depth: 31 enclosed by 50 meters contour:
 $38^{\circ} 20' 12'',1N - 022 24' 55'' E$
- 3.Insert depth: 30: $38^{\circ} 20' 13'',7N - 022^{\circ} 24' 58'',04E$
- 4.Insert depth: 30: $38^{\circ} 20' 13'',7N - 022^{\circ} 24' 58'',0E$
5. Substitute depth: 39, for depth 30: $38^{\circ} 20' 13'',7N - 022^{\circ} 24' 58'',04E$

Chart: 232/1 « Bays in the North Coasts of Korinthiakos Gulf» (Plan

« Kriseos Gulf» (1,2,3) [86/2009] , **232** (1,4) [108/2009], **2** (5) [159/2009],
74 (5) [158/2009], **109(INT 309)** (5) [134/2009]

(Information: H.N.H.S)

Notice No: 161/09


MEDITERRANEAN SEA – ELLAS – Kriti Island – Chania Harbour – Light - Light bouys.

Relative Navwarn: 274/2008,1020/2009

1. Delete : ★ Fl.G4s7m5M: 35° 31' 19''N - 024° 00' 56'' E.

2. Insert :  Fl(4)2m5M: 35° 31' 19'',8N - 024° 00' 57'' E.

Chart: **433/1 (INT 3793)** «From Cape Drepanon to Chania Port»

(Plan  «Chania Harbour»), **433/1 (INT 3793)** «From Cape Drepanon to Chania Port » [41/2009]

(Information : Chania Central harbour Master Office)

Notice No: 162/09

MEDITERRANEAN SEA – ELLAS – Elefsina Gulf – Elefsina Harbour – New Status.

Insert the accompanying blocks as follow :

a. Accompanying block (A) in the upper left side of chart “Elefsina Harbour” on Plan Elefsina.

b. Accompanying block (B) in approximate position centered on :

38° 02' 06''N - 023° 32' 30'' E.

Chart: **413/6** « Elefsina Gulf»(Plan «Elefsina Harbour»)(a), **413/6** « Elefsina Gulf» (b) [115/2009]

(Information : H.N.H.S)

Notice No: 163/09

MEDITERRANEAN SEA – ELLAS – Mirto Sea – Monemvasia Gulf – Depth.

Delete depth: 22 and contour: $36^{\circ} 42' 57'' \text{N} - 023^{\circ} 05' 36'' \text{E}$.

Chart: **414** [136/2009]

(Information : H.N.H.S)

Notice No: 164/09

MEDITERRANEAN SEA – ELLAS – Aegean Sea – Northeast Thira Island – New Depth.

Insert depth : 160 enclosed by 200 meters contour joining:

$36^{\circ} 33' 07'' \text{N} - 025^{\circ} 30' 42'' \text{E}$

Chart: **(INT 3734) 423** [89/2009], **4235** [88/2009]

(Information : H.N.H.S)

Notice No: 165/09

MEDITERRANEAN SEA – ELLAS – Thessaloniki Gulf – Light sector.

1. Delete sector lights as follow: $40^{\circ} 36' 38'',6 \text{N} - 022^{\circ} 57' 03'' \text{E}$

a. Visual $030^{\circ} - 070^{\circ} = 40^{\circ}$

b. Dark $070^{\circ} - 030^{\circ} = 320^{\circ}$

as well the circular pecket line joining the two sector lights and indication “Λ” ,“W”.

Chart: **311/1 (INT 3773)** [139/2009], **255** [141/2009]

(Information: H.N.H.S – Light House Aythorities)

Notice No: 166/09

MEDITERRANEAN SEA – ELLAS – Dodekanissa – Patmos Island – New depth.

Insert:  $37^{\circ} 19' 32'',5 \text{N} - 026^{\circ} 33' 36'',6 \text{E}$

Chart: **340/1** «Skala Harbour» [205/2008]

(Information: H.N.H.S)

Notice No: 167/09

MEDITERRANEAN SEA – ELLAS – Karpathio Sea – Astakida Rocky Islet – New depth.

Relative Navwarn: 931/2009

Insert depth: enclosed by 10,20 and 50 contour 35° 53' 24'',3N - 026° 50' 06'',4 E

Chart: 44(INT 3714) [94/2009], 45 [120/2009],

(Information:H.N.H.S)

INSTRUCTIONS FOR CORRECTIONS ON THE LIST OF LIGHTS
(ED. 2008)

1. The corrections (changes, additions, deletes) of List of Lights publication included in the middle (No IV) of the monthly editions of the Notices to Mariners and are given in columns , as following :
 - a. **First Column:** The number of the Hellenic List of Lights (ΑΕΦ), which is affected by the correction, is recorded. If the recorded number does not exist in the List of lights, then it is a new one and its characteristics must be recorded in the according between the ΑΕΦ, column of the List of Lights
 - b. **Other Columns:**
 - (1) - - With two dashes are marked the columns which are not affected, while in those that are affected are written the data which must be recorded, deleting at the same time all the old ones
 - (2) With ***italic letters*** are given instructions in order to cover special occasions (delete of column or all the columns of the cancelled light).

2. It is recommended that small extent corrections must be recorded by hand, while additions of new “ΑΕΦ” or corrections of greater extend will be cut out and pasted on the List of Lights

3. Reference for the record of the monthly corrections is written in the following table.

Notice No : **168 /09**

1	2	3	4	5	6	7	8
2223 <i>E 4031,3</i>	--	--	--	--	--	Height 6m	
2223,1 <i>E 4031,5</i>	--	--	--	--	--	Height 6 m.	
2405 <i>E 4073,6</i>	--	--	--	--	--	Height 6m.	
3038 <i>Buoy</i>	<i>Chania</i>	<i>NEast of breakwater end out of chania P.</i>	35 31,3 24 00,9	Fl G4s 0,5+ <u>3,5</u> =4δ/s	2	5	Green Conical Buoy with top mark ▲

4825	--	--	--	--	--	--	Height 3,8 m.	
<i>E 4174,72</i>								
5265	--	--	--	--	--	--	Height 6 m.	
<i>E 4369,8</i>								
5622	--	--	--	--	--	--	Height 6,1 m.	
<i>E 4379</i>								
5622,1	--	--	--	--	--	--	Height 6 m.	
<i>E 4379,5</i>								
6247	--	--	40 38,1 022 54,8	--	--	--		
6248	--	--	40 38,0 022 54,8	--	--	--	--	--
6340	--	--	--	--	--	--	--	Racon (A) Range 7M
<i>E 4503</i>								
8755	--	--	--	--	--	--	Height 6m.	
<i>E 4266,3</i>								
8755,1	--	--	--	--	--	--	Height 6 m.	
<i>E 4266,3</i>								
9335,1	--	--	--	--	--	--	Height 6 m.	
<i>E 4727,4</i>								