



HELLENIC NOTICES TO MARINERS

Monthly edition 9
30 September 2013

Notices 162 - 185

CONTENTS

	Page
I Index of Hellenic Notices to Mariners	3
II Notices to Mariners of new Nautical Charts and publications	4
III Updates to Nautical Charts	5
IV Updates to List of Lights	9
V Amendments to Sailing Directions	11
VI Updates to Catalogue of Nautical Charts and Publications	12

MAIL ADDRESS: HELLENIC NAVY
HYDROGRAPHIC SERVICE
SAFETY OF NAVIGATION DIVISION
TGN 1040, ATHENS

Tel: (+30) 210 6551771
(+30) 210 6551770
(+30) 210 6551806

Fax: (+30) 210 6517811
(+30) 210 6551728

E-mail: nasf_hnhs@navy.mil.gr

The Hellenic Notices to Mariners are available on the following web site of
Hydrographic Service: www.hnhs.gr

Commodore G. Matarangas H.N.
Director

The information provided with the notices to mariners is related to nautical charts and nautical publications issued by the H.N.H.S and must be depicted in its nautical charts and other navigational publications.

The geographic positions referred to in this publication are related to the largest-scale chart, unless stated otherwise.

The limits of sectors and visibility arcs as well, as the alignment of direction lights and leading lights, are given as seen by an observer from seaward.

All bearings are referenced to true North and are measured clockwise from 000° to 359°.

Responsibility for publication of Annual Notices to Mariners and Monthly Volumes is undertaken by the Safety of Navigation Division of the HNHS.

Mariners are kindly requested to immediately notify the Hellenic Navy Hydrographic Service (T.G.N 1040 Tel: (+30) 2106551771 Fax: (+30) 2106517811) in case they discover either new or possible navigational dangers.

Unlit or unreliable lights must be reported immediately to: Lighthouse Authorities
18510 PIRAEUS

In addition to postal methods the following communications methods are also available.

Tel: (+30) 210 4581508, (+30) 210 4531856

Fax: (+30) 210 4536760

E-mail: yf_meletvn@navy.mil.gr with notification to the Hydrographic Service.

This kind of information is crucial and contributes to safety of navigation.

Notices, NAVTEX messages, Navwarns to mariners, Weather bulletins (METEO) and Bulletin messages for leisure boats, are available on www.hnhs.gr

Users can supply the Annual Notice to Mariners as well as the monthly edition (not free of charge) as it is defined in the Nautical Publications of the Hellenic Navy Hydrographic Service.

**INDEX OF HELLENIC NOTICES TO MARINERS
AFFECTING NAUTICAL CHARTS AND LIST OF LIGHTS**

NOTICES	PAGES	CHART No-NAUTICAL PUBLICATIONS
164	5	Chart: 421/2
165	5	Chart: 412/5
166	6	Chart: 43 (INT 3700)
167	6	Chart: 433/1 (INT 3793)
168	6	Chart: 421/1
169	6	Chart: (INT 3772) 3111
170	7	Chart: 311/1 (INT 3773)
171	7	Chart: (INT 3736) 424
172	8	Chart: 422
173	8	Chart: 332, 3321
174	8	Chart: 322/1
175	9	LIST OF LIGHTS
184	11	PLOIGOS VOLUME D
185	12	Catalogue of Nautical Charts And Nautical Publications.

II

INDEX OF HELLENIC NAUTICAL CHARTS AND LIST OF LIGHTS AFFECTED BY THE HELLENIC NOTICES TO MARINERS

CHART No- LIST OF LIGHTS	NOTICES
Chart : 43 (INT 3700)	166
Chart : 311/1 (INT 3773)	170
Chart : 322/1	174
Chart : 332	173
Chart : 412/5	165
Chart : 421/1	168
Chart : 421/2	164
Chart : 422	172
Chart : (INT 3736) 424	171
Chart : 433/1 (INT 3793)	167
Chart : (INT 3772) 3111	169
Chart : 3321	173
LIST OF LIGHTS	175
PLOIGOS VOLUME D	184
Catalogue of Nautical Charts And Nautical Publications	185

III

Notice Nr.: **164/13**

MEDITERRANEAN SEA - HELLAS – Aegean Sea – Syros Island – Syros Port-Chart Update.

1. Insert the accompany block (A), showing the construction of a new mole at Syros port in approximate position : $37^{\circ} 26' 26''$ N - $024^{\circ} 56' 46''$ E.
2. . Insert the accompany block (A), showing the construction of a new mole at Syros port in approximate position: $37^{\circ} 26' 26''$ N - $024^{\circ} 56' 46''$ E.

CHART: **421/2** «APPROACHES AND SYROS PORT» Plan «SYROS PORT»(1), **421/2** « APPROACHES AND SYROS PORT » (2) [105/2010].

(Information: H.N.H.S.)

Notice Nr.: **165/13**

MEDITERRANEAN SEA – HELLAS – Saronikos Gulf - Poros Island – East Of Cape Ntana – Fish Farms.


1. Insert:



Joining :

- a. $37^{\circ} 31' 43,4''$ N - $023^{\circ} 26' 16,4''$ E
- b. $37^{\circ} 31' 37,2''$ N - $023^{\circ} 26' 16,0''$ E
- c. $37^{\circ} 31' 37,5''$ N - $023^{\circ} 26' 19,9''$ E
- d. $37^{\circ} 31' 42,8''$ N - $023^{\circ} 26' 19,4''$ E
- e. $37^{\circ} 31' 43,4''$ N - $023^{\circ} 26' 16,4''$ E.

2. Insert :



, joining :

- a. $37^{\circ} 31' 43,1''$ N - $023^{\circ} 26' 41,7''$ E
- b. $37^{\circ} 31' 42,9''$ N - $023^{\circ} 26' 45,4''$ E
- c. $37^{\circ} 31' 38,0''$ N - $023^{\circ} 26' 45,8''$ E
- d. $37^{\circ} 31' 37,8''$ N - $023^{\circ} 26' 41,9''$ E
- e. $37^{\circ} 31' 43,1''$ N - $023^{\circ} 26' 41,7''$ E.

CHART: **412/5** «APPROACHES AND POROS PORT» [104/2013].



(Information : Poros Port Authorities)

III

Notice Nr.: **166/13**

MEDITERRANEAN SEA – HELLAS – Chart Update.

Amend with magenta the number «41» in the upper chart frame limit after «Συνεχόμενος Χάρτης (Adjoining Chart)» (In few copies only).

CHART 43 (INT 3700) [18/2013].

(Information: H.N.H.S.)

Notice Nr.: **167/13**

MEDITERRANEAN SEA - HELLAS – Aegean Sea – Kriti Island– Souda Bay - Cape Souda (Kalami)- Light Buoy.

.

Relative Navwarn 957/2013


Delete  *PA Fl4s* : 35° 28' 33" N - 024° 09' 07"E.

CHART: 433/1 (INT 3793) [125/2013].

(Information: Souda Naval Bay)

Notice Nr.: **168/13**

MEDITERRANEAN SEA - HELLAS – Aegean Sea – Mikonos Island– Mikonos Port – Chart Update.

Insert the accompanying block in approximate position centered:

37° 27' 18" N - 025° 19' 42" E

CHART: 421/1 [131/2010].

(Information: H.N.H.S.)

Notice Nr.: **169/13**

III

MEDITERRANEAN SEA - HELLAS – Thermaikos Gulf – N.Michaniona Port-Lights.


1.Amend to: 8m, the light elevation:

III

40° 27' 31,5''N - 022° 51' 25,3''E

2. Amend to: 7m, the light elevation:

40° 27' 33,3''N - 022° 51' 29,3''E

XEE: **(INT 3772) 3111** «APPROACHES CULF AND THESSALOKIKI PORT » plan 
(NEA MICHANIONA PORT ») [152/2013].

(Information: H.N.H.S)

Notice Nr.: **170/13**

**MEDITERRANEAN SEA - HELLAS – Thermaikos Gulf – N.Michaniona Port–
LightsBay and Port of Thessaloniki- Lights.**

1.Amend to : 9m, the light elevation :

40° 38' 18,3''N - 022° 53' 44,5''E

2 Amend to: 13m, the light elevation:

40° 37' 51,4''N - 022° 56' 01,9''E

3 Amend to.: 16m, the light elevation:

40° 37' 57,4''N - 022° 56' 07,8''E

CHART : **311/1 (INT 3773)** [150/2013].

(Information: H.N.H.S.)

Notice Nr.: **171/13**

MEDITERRANEAN SEA - HELLAS – Aegean Sea – Livitha Islet – Chart Update.

Insert the accompanying block in approximate position centered:

37° 06' 00''N - 026° 28' 00''E.

CHART: **(INT 3736) 424** [75/2011].

(Information: H.N.H.S)

III

Notice Nr.: **172/13**

MEDITERRANEAN SEA - HELLAS – Aegean Sea – Livitha Islet – Chart Update.

Insert the accompanying block in approximate position centered:

37° 06' 00'' N - 026° 28' 00'' E

CHART: **422** [153/2013].

(Information: H.N.H.S)

Notice Nr.: **173/13**

MEDITERRANEAN SEA - HELLAS – Aegean Sea – West Coast of Lesvos Island. Light Buoy.

Relative Navwarn 1074/2013



Delete : *Av (5) Kτ 20 δ, 4* στη θέση: 39° 09' 22'' B - 025° 48' 31'' A.
Kτ

CHART: **3321** [114/2013], **332** [115/2013].

(Information: H.N.H.S)

Notice Nr.: **174/13**

MEDITERRANEAN SEA - HELLAS – Aegean Sea– East of Alexandroupolis Port– Light Buoys.

1.Substitute with  *FIY 2s 4m 3M.* the existing  *QY*, : 40° 50' 24,3'' N - 025°
54' 36,6'' E
RW



1.Substitute with  *FIY 2s 4m 3M.* the existing  *Q QY*, : 40° 50' 23,9'' N -
025°
54' 45,9'' E
RW

CHART: **322/1** [119/2011].



(Information : Light House Authorities)

IV

GUIDELINES FOR CORRECTIONS TO THE LIST OF LIGHTS (EDN. 2012)

1. 1.1.1. The amendments (changes, additions, deletions) to the List of Lights publication are included in volume No IV of the monthly editions of Notices to Mariners and are given in columns, as follows:

a. **First Column:** The number of the Hellenic List of Lights (light numbers) which is affected by the amendments is shown. If the number shown does not exist in the List of lights, then it is a new one and its characteristics must be recorded in the corresponding column of the List of Lights, between the ΑΕΦ.

b. **Other Columns:**

(1) The columns that are not affected are marked with two dashes (--). Data in of the columns that are affected should be written down, deleting all old data at the same time.

(2) Instructions for special cases (deleting columns or all columns of a cancelled light) are given in *italics*.

2. It is recommended to record small amendments by hand addition of a new “ΑΕΦ” or larger amendments should be cut out and pasted on the List of Lights.

Reference for the record of the monthly corrections is written in the following table.

Notice Nr.: **175/13**

1	2	3	4	5	6	7	8
0524	--	--	--	--	--	--	Προσωρινή σβέση (2013)
<i>E 3822,2</i>	--	--	--	--	--	--	Temporary discontinued (2013)
3120	--	--	--	--	--	Λευκό εξαγωνικό θυλάκιο με στήλη εξώστη και πράσινη οριζόντια λουρίδα. Ύψος 7,80 μ. Σχ. 15	--
<i>E 4790</i>	--	--	--	--	--	White hexagonal hut with column gallery and green band. Height 7.8m. Fig. 15.	--
3120,1	--	--	--	--	--	Λευκός σιδηρόπλεκτος οβελός με εξώστη και πράσινη οριζόντια λουρίδα. Ύψος 5,70 μ. Σχ. 20.	--
<i>E 4791,6</i>	--	--	--	--	--	White framework hut with gallery and green band. Height 5.70m. Fig. 20.	--

IV

1	2		3	4	5	6	7	8
6246	--	--	--	--	9	--	Ύψος 8,7 μ.	--
E 4509	--	--	--	--		--	Height 8.7m	--
6247	--	--	--	--	6		--	--
6248	--	--	--	--	3		--	--
6250	--	--	--	--	--	--	Ύψος 11,5 μ.	--
E 4505	--	--	--	--	--	--	Height 11.5m	--
6260	--	--	--	--	13	--	Ύψος 12,3 μ.	--
E 4506	--	--	--	--		--	Height 12.3m	--
6270	--	--	--	--	17	--	Ύψος 15,4 μ.	--
E 4504	--	--	--	--		--	Height 15.4m	--
6363	--	--	--	--	--	--	Ύψος 5,9 μ.	--
E 4497,8	--	--	--	--	--	--	Height 5,9 m	--
6363,1	--	--	--	--	--	--	Ύψος 6,1 μ.	--
E 4497,82	--	--	--	--	--	--	Height 6.1m	--
6389,5	--	--	--	--	8	--	Ύψος 6,2 μ.	--
E 4496,57	--	--	--	--		--	Height 6.2m	--
6389,6	--	--	--	--	7	--	Ύψος 6 μ.	--
E 4496,58	--	--	--	--		--	Height 6m	--

VI

AMENDMENTS TO SAILING DIRECTIONS

Notice Nr.: **184/13**

PILOT VOLUME D – Aegean Sea -Levitha Islet – Pilot Update.

Page 184

L 52 Replace GC 423 with 422- (INT 3736) 424.

Page 185

R 17 Replace GC 423 with 422- (INT 3736) 424.

Page 186

L 26 Replace GC 423 with 422- (INT 3736) 424

(Information: H.N.H.S)

VI

Notice Nr. **185/13**

**MEDITERRANEAN SEA - HELLAS - New Edition, Chart Permanently Withdrawn
Catalogue of Nautical Charts and Nautical Publications Update - (14th Edition
2007)**

NONE

(Information: H.N.H.S)