



## HELLENIC NOTICES TO MARINERS

**Monthly edition**  
**10**  
**31<sup>st</sup> October 2015**

Notices from 164 up to 186

CONTENTS		
		Page
I	Index of Hellenic Notices to Mariners	3
II	Updates to Nautical Charts	5
III	Updates to List of Lights	11
IV	Amendments to Sailing Directions	12
V	Updates to Catalogue of Nautical Charts and Publications	13

**MAIL ADDRESS:** HYDROGRAPHIC SERVICE  
SAFETY OF NAVIGATION DIVISION  
TGN 1040, ATHENS

**Tel:** (+30) 210 6551771  
(+30) 210 6551770  
(+30) 210 6551806

**Fax:** (+30) 210 6517811  
(+30) 210 6551728

**E-mail:** nasf\_hnhs@navy.mil.gr

The Hellenic Notices to Mariners are available on the following web site of  
Hydrographic Service: [www.hnhs.gr](http://www.hnhs.gr)

Captain D. Evangelidis H.N.  
Director

The information provided with the notices to mariners is related to nautical charts and nautical publications issued by the H.N.H.S and must be depicted in its nautical charts and other navigational publications.

The geographic positions referred to in this publication are related to the largest-scale chart, unless stated otherwise.

The limits of sectors and visibility arcs as well, as the alignment of direction lights and leading lights, are given as seen by an observer from seaward.

All bearings are referenced to true North and are measured clockwise from 000° to 359°.

Responsibility for publication of Annual Notices to Mariners and Monthly Volumes is undertaken by the Safety of Navigation Division of the HNHS.

Mariners are kindly requested to immediately notify the Hellenic Navy Hydrographic Service (T.G.N 1040 Tel: (+30) 2106551771 Fax: (+30) 2106517811) in case they discover either new or possible navigational dangers.

Unlit or unreliable lights must be reported immediately to: Lighthouse Authorities 18510 PIRAEUS

In addition to postal methods the following communications methods are also available.

Tel: (+30) 210 4581508, (+30) 210 4531856

Fax: (+30) 210 4536760

E-mail: [yf\\_meletvn@navy.mil.gr](mailto:yf_meletvn@navy.mil.gr) with notification to the Hydrographic Service.

This kind of information is crucial and contributes to safety of navigation.

Notices, NAVTEX messages, Navwarns to mariners, Weather bulletins (METEO) and Bulletin messages for leisure boats, are available on [www.hnhs.gr](http://www.hnhs.gr)

Users can supply the Annual Notice to Mariners as well as the monthly edition (not free of charge) as it is defined in the Nautical Publications of the Hellenic Navy Hydrographic Service.

**INDEX OF HELLENIC NOTICES TO MARINERS  
AFFECTING NAUTICAL CHARTS AND LIST OF LIGHTS**

<b>CHART No – Nautical Publications</b>	<b>NOTICES</b>	<b>CHART No-NAUTICAL PUBLICATION.</b>
164	5	CHART: <b>BX 03</b> (WGS - 84)
165	6	CHART: <b>212/1</b> (INT 3493)
166	6	CHART: <b>433/1</b> (INT 3793)
167	6	CHART: <b>433/1</b> (INT 3793)
168	7	CHART: <b>433/2</b>
169	7	XEE: <b>412/7</b> (INT 3761)
170	8	CHART: <b>412/2,412/6</b>
171	9	CHART: <b>412/6</b>
172	9	CHART: <b>3211</b>
173	9	CHART: <b>332/2</b>
174	10	CHART: <b>334</b> Correction
175	11	LIST OF LIGHTS
184	17	PILOT C ´
185	17	PILOT D ´
186	19	Catalogue of Nautical Charts And Nautical Publications

I  
**INDEX OF HELLENIC NAUTICAL CHARTS AND  
LIST OF LIGHTS BEING AFFECTED BY THE HELLENIC  
NOTICES TO MARINERS**

<b>CHART No – Nautical Publications</b>	<b>NOTICES</b>
CHART: <b>BX 03</b> (WGS - 84)	164
CHART: <b>212/1</b> (INT 3493)	165
CHART: <b>332/2</b>	173
CHART: <b>334</b> Διορθωτική	174
CHART: <b>412/2</b>	170
CHART: <b>412/6</b>	170,171
CHART: <b>412/7</b> (INT 3761)	169
CHART: <b>433/1</b> (INT 3793)	166,167
CHART: <b>433/2</b>	168
CHART: <b>3211</b>	172
LIST OF LIGHTS	176
PILOT C´	184
PILOT D´	185
Catalogue of Nautical Charts And Nautical Publications	186

Notice Nr. **164/15**

**MEDITERRANEAN SEA –ELLAS - New Edition – Charter Permanently Withdrawn.**

1. Published and available the follow new chart : **BX 03** in WGS-84.

<u>Nr. Chart</u>	<u>Title</u>	<u>Scale</u> <u>1:</u>	<u>Edition</u>
<b>BX 03</b>	Hellenic Coastguard - Port Authorities and their Areas of Responsibility (WGS – 84)	1.100.000	AUG2015

2. On publication of this the Chart BX 03 is permanently withdrawn.

<u>Nr. Chart</u>	<u>Title</u>	<u>Scale</u> <u>1:</u>	<u>Edition</u>
<b>BX 03</b>	Hellenic Coastguard - Port Authorities and their Areas of Responsibility (WGS – 84)	1.100.000	NOV 1998

(Information:HNHS)

Notice Nr. **165/15**

**MEDITERRANEAN SEA - ELLAS - Ionio Sea - Kerkyra Island - Kerkyra Port–  
Seaplane operating area.**

1. Insert the accompanying block Γ at plan «KERKYRA PORT » in approximate position: 39° 38' 00''N - 019° 55' 00''E.
2. Insert the accompanying block Α at chart «APPROACHES AND KERKYRA PORT » in approximate position: 39° 38' 00''N - 019° 55' 00''E.
3. Insert the accompanying block Β at chart «APPROACHES AND KERKYRA PORT » in approximate position: 39° 38' 24''N - 019° 53' 48''E.

## II

CHART :**212/1** (INT 3493) «APPROACHESANDKERKYRAPORT » plan «KERKYRA PORT » (1), CHART**212/1**(INT 3493) « APPROACHESANDKERKYRAPORT » (2,3) [53/2015]

(Information :MMM)

Notice Nr. **166/15**

**MEDITERRANEAN SEA - ELLAS – Aegean Sea – Kriti Island - Souda Bay - Cape Souda (Kalamí) – Light Buoy .**

Insert :<sup>BYQ</sup>,: 35° 28' 34''N - 024° 09' 03''E.

CHART: **433/1** (INT 3793)[149/2015]

(Information:Souda Naval Base)

Notice Nr. **167/15**

**MEDITERRANEAN SEA - ELLAS - Kriti Island – Souda Bay – Depths.**

Substituteto:6<sub>4</sub>, thedepth3<sub>6</sub>,: 35° 29' 19''N - 024° 05' 02''E.

CHART: **433/1** (INT 3793)[166/2015]

(Information :H.N.H.S.)

Notice Nr. **168/15**

**MEDITERRANEAN SEA - ELLAS - Kriti Island – Approaches to Rethimno Port – Explosive ground - (WGS - 84) .**

RelativeNavwarn830/2015

1. Insert: , joining

- |    |                |   |                 |
|----|----------------|---|-----------------|
| a. | 35° 22, 359' N | - | 024° 28, 607' E |
| b. | 35° 22, 375' N | - | 024° 28, 606' E |
| c. | 35° 22, 357' N | - | 024° 28, 566' E |
| d. | 35° 22, 347' N | - | 024° 28, 574' E |
| e. | 35° 22, 350' N | - | 024° 28, 585' E |
| f. | 35° 22, 359' N | - | 024° 28, 607' E |

} 6

## II

2. Insert :Εκρηκτικά (Explosive) , in the area of paragraph 1.  
(abandoned (εγκαταλειμμένη) }

3. Insert: Explosive, in the area centered : 35° 22,359'N - 024° 28,588'E.

CHART :**433/2** «APPROACHES AND RETHIMNO PORT » (3), **433/2** «  
APPROACHES AND RETHIMNO PORT » (plan « RETHIMNO PORT ») (1,2)  
[71/2014]

(Information :Rethimno Port Authorities)

Notice Nr. **169/15**

**MEDITERRANEAN SEA - ELLAS - Saronikos Gulf – Faliro Bay – Chart Update.**


Insert:  : 37° 56' 09,6''N - 023° 41' 07,5''E.

CHART: **412/7** (INT 3761)«SMALL PORT ZEAS UP C. AIXONI » ( plan  «FALIRO  
BAY »), [150/2015]

(Information :H.N.H.S. )

Notice Nr. **170/15**

**MEDITERRANEAN SEA - ELLAS - Saronikos Gulf - Keratsini Bay. – Harbour  
Works.**

1. Insert: --- --- joining


a.	37° 57' 37'' N	-	023° 34' 43'' E
b.	37° 57' 28'' N	-	023° 34' 45'' E
c.	37° 57' 23'' N	-	023° 34' 47'' E
d.	37° 57' 18'' N	-	023° 34' 48'' E
e.	37° 57' 12'' N	-	023° 34' 50'' E
f.	37° 57' 12'' N	-	023° 34' 57'' E
g.	37° 57' 11'' N	-	023° 35' 04'' E

## II

2. Delete the depths and the contours in the area of paragraph 1.

3. Insert «Εκτελούνται έργα (2015)» (Works in progress ) in approximate position:

37° 57' 18'' N - 023° 34' 54'' E

4. Insert :   $\kappa\tau\text{Av}\kappa\tau$ ,:

- |    |                  |   |                   |
|----|------------------|---|-------------------|
| a. | 37° 57' 11,7'' N | - | 023° 35' 04,5'' E |
| b. | 37° 57' 12,0'' N | - | 023° 34' 57,5'' E |
| c. | 37° 57' 12,5'' N | - | 023° 34' 50,4'' E |
| d. | 37° 57' 18,8'' N | - | 023° 34' 48,5'' E |
| e. | 37° 57' 23,5'' N | - | 023° 34' 47,0'' E |
| f. | 37° 57' 28,2'' N | - | 023° 34' 45,6'' E |

5. Delete:   $\kappa\tau\text{Av}\kappa\tau$ ,:

- |    |                  |   |                   |
|----|------------------|---|-------------------|
| a. | 37° 57' 14,4'' N | - | 023° 35' 02,7'' E |
| b. | 37° 57' 14,4'' N | - | 023° 35' 14,6'' E |
| c. | 37° 57' 20,7'' N | - | 023° 35' 12,7'' E |
| d. | 37° 57' 27,0'' N | - | 023° 35' 10,8'' E |

CHART: **412/2** [133/2015], **412/6** [19/2015],

(Information: DOMOS TECHNIKI)

Notice Nr. **171/15**

**MEDITERRANEAN SEA - ELLAS - Saronikos Gulf – Elefsina Gulf - Elefsina Port – Chart Update.**


Insert :  : 38° 02' 07'' N - 023° 33' 00'' E

CHART: **412/6** «ELEFSINA GULF », **412/6** « ELEFSINA GULF » (plan «ELEFSINA PORT »), [170/2015]

(Information : Elefsina Port Authorities)



## II

Notice Nr. **172/15**

**MEDITERRANEANSEA- ELLAS - North Aegean Sea –Strimonikos Gulf – Fishing Shelter.**

1. Deleted depth 35 : 40° 44' 15'' N - 023° 58' 24'' E.

2. Insert the indication: «Εκτελούνται έργα (2015)» (Works in progress ):  
40° 44' 12'' N - 023° 58' 24'' E.

CHART: **3211**[73/2014]

(Information :Kavala Port Authority )

Notice Nr. **173/15**

**MEDITERRANEANSEA- ELLAS - North Aegean Sea – Lesvos Island – Mitilini Port – Chart Update:**

Substitute with:  $\kappa_T$  the existing  39° 06' 21'' N - 026° 33' 26'' E.

CHART: **332/2**[183/2014]

(Information :Lesvos Port Authorities)

II

Notice Nr. **174/15**

**MEDITERRANEANSEA- ELLAS - North Aegean Sea– East of Oinousses Island  
– Panagia Islet (Pasas) – Light.**

CorrectionNavwarn 152/15

Substitutelightto 15δ for 10δ.

CHART: **334**[152/2015]

(Information :Light House Authorities)

### III

#### GUIDELINES FOR CORRECTIONS TO THE LIST OF LIGHTS (EDN. 2015)

1. The amendments (changes, additions, deletions) to the List of Lights publication are included in volume No IV of the monthly editions of Notices to Mariners and are given in columns, as follows:
  - b. First Column:** The number of the Hellenic List of Lights (light numbers) which is affected by the amendments is shown. If the number shown does not exist in the List of lights, then it is a new one and its characteristics must be recorded in the corresponding column of the List of Lights, between the ΑΕΦ.
  - c. Other Columns:**
    - (1) The columns that are not affected are marked with two dashes (--). Data in the columns that are affected should be written down, deleting all old data at the same time.
    - (2) Instructions for special cases (deleting columns or all columns of a cancelled light) are given in *italics*.
2. It is recommended to record small amendments by hand addition of a new "ΑΕΦ" or larger amendments should be cut out and pasted on the List of Lights.
3. Reference for the record of the monthly corrections is written in the following table.

Notice NR. **175/15**

<b>1</b>	<b>2</b>	<b>3</b>	<b>4</b>	<b>5</b>	<b>6</b>	<b>7</b>	<b>8</b>
----------	----------	----------	----------	----------	----------	----------	----------

**NONE**

## IV

### **Amendments to Sailing Directions.**

NoticeNR. **176/15**

**Pilot A – Ionio Sea-Kerkyra Island- Kerkyra Port- Seaplane operating area.**

**295**

**L48 After: aboard Add**

**Seaplane operating area.**

At a distance about 200 mtrs SW from Vido Islet tree Seaplane operating area are operate. Their shape are parallelogram with dimension 850x60 mtrseach and orient east -west .  
Information (H.M.M.M.)

NoticeNR. **184/15**

**Pilot C- North Aigaio Sea- Strimonikos Gulf- Fishing Shelter.**

**369**

**R3 After :«offshore.» Add:** « NW from o Cape Appolonio and at a distance about 4 miles fishing shelter of Orfanos Municipality constructed. (2015) »

(Information Kavala Port Authorities)

NoticeNR. **185/15**

**Pilot D - Aegean Sea- Lesvos Island - Mitilini Port- Pilot Update.**

**70**

**L54 Replace** «2 mooring buoys » with «1 mooring buoy) »

(Information Lesvos Naval Authorities)

NoticeNR. . 186/15

**Mediterranean Sea-Hellas - New Edition, Chart Permanently Withdrawn  
Catalogue of Nautical Charts and Nautical Publications Update - (15<sup>th</sup>  
Edition 2014)**

**Page.63**

<u>Chart No</u>	<u>INT</u>	<u>Title of Chart</u>	<u>SCALE 1:</u>	<u>EDITION</u>	<u>NEW EDITION</u>
<b>BX 03</b>		Hellenic Coastguard - Port Authorities and their Areas of Responsibility (WGS – 84)	1.100. 000	2015	-

(Information:HNHS)