




HELLENIC NOTICES TO MARINERS



Monthly edition 12

31 December 2016



Notices from 225 up to 236

HAPPY NEW YEAR

CONTENTS

	<i>Page</i>
I Index of Hellenic Notices to Mariners	3
II Updates to Nautical Charts	5
III Updates to List of Lights	8
IV Amendments to Sailing Directions	9
V Updates to Catalogue of Nautical Charts and Publications	10
VI Index of Notice to Marines effected Charts during the year 2016	11

MAILADDRESS: HYDROGRAPHIC SERVICE
SAFETY OF NAVIGATION DIVISION
TGN 1040, ATHENS

Tel: (+30) 210 6551771
(+30) 210 6551770
(+30) 210 6551806

Fax: (+30) 210 6517811
(+30) 210 6551728

E-mail: nasf_hnhs@navy.mil.gr

The Hellenic Notices to Mariners are available on the following web site of
Hydrographic Service: www.hnhs.gr

Captain D. Evangelidis HN
Director

The information provided with the notices to mariners is related to nautical charts and nautical publications issued by the H.N.H.S and must be depicted in its nautical charts and other navigational publications.

The geographic positions referred to in this publication are related to the largest-scale chart, unless stated otherwise.

The limits of sectors and visibility arcs as well, as the alignment of direction lights and leading lights, are given as seen by an observer from seaward.

All bearings are referenced to true North and are measured clockwise from 000° to 359°.

Responsibility for publication of Annual Notices to Mariners and Monthly Volumes is undertaken by the Safety of Navigation Division of the HNHS.

Mariners are kindly requested to immediately notify the Hellenic Navy Hydrographic Service (T.G.N 1040 Tel: (+30) 2106551771 Fax: (+30) 2106517811) in case they discover either new or possible navigational dangers.

Unlit or unreliable lights must be reported immediately to: Lighthouse Authorities 18510 PIRAEUS

In addition to postal methods the following communications methods are also available.

Tel: (+30) 210 4581508, Fax: (+30) 210 4581410, E-mail: yf_epix@navy.mil.gr with notification to the Hydrographic Service. This kind of information is crucial and contributes to safety of navigation.

Notices, NAVTEX messages, Navwarns to mariners, Weather bulletins (METEO) and Bulletin messages for leisure boats, are available on www.hnhs.gr

Users can supply the Annual Notice to Mariners as well as the monthly edition (not free of charge) as it is defined in the Nautical Publications of the Hellenic Navy Hydrographic Service.

**INDEX OF HELLENIC NOTICES TO MARINERS
AFFECTING NAUTICAL CHARTS AND LIST OF LIGHTS**

NOTICES	PAGES	CHART No-NAUTICAL PUBLICATIONS
225	5	CHART: 311/3 Edition N. Chart (WGS - 84) 431 (INT 3738) Edition N. Chart (WGS - 84)
226	6	CHART: 212/1 (INT 3493)
227	6	CHART: 412/6
228	7	CHART: 31 (INT 3704)
229	7	CHART: 3221
230	7	CHART: 340/1
231	8	CHART: 322, 3221
232	8	CHART: 321, 3212 (INT 3776)
233	9	LIST OF LIGHTS
234	12	PILOT D'
235	14	Catalogue of Nautical Charts And Nautical Publications
236	18	Index of Notice to Marines effected Charts during the year 2016

**INDEX OF HELLENIC NAUTICAL CHARTS AND
LIST OF LIGHTS BEING AFFECTED BY THE HELLENIC
NOTICES TO MARINERS**

CHART No – Nautical Publications	NOTICES
CHART : 31 (INT 3704)	228
CHART : 212/1 (INT 3493)	226
CHART : 311/3 Edition N. Chart (WGS - 84)	225
CHART : 321	232
CHART : 322	231
CHART : 340/1	230
CHART : 412/6	227
CHART : 431 (INT 3738) Edition N. Chart (WGS-84)	225
CHART : 3212 (INT 3776)	232
CHART : 3221	229,231
LIST OF LIGHTS	233
PILOT D'	234
Catalogue of Nautical Charts And Nautical Publications	235
Index of Notice to Marines effected Charts during the year 2016	236

II

Notice Nr. 225/16

MEDITERRANEAN SEA - ELLAS - New Edition- Charts Permanently Withdrawn.

1. Published and are available the new charts 311/3 (WGS - 84) and 431(INT 3738) (WGS - 84).

<u>CHART NR.</u>	<u>Title</u>	<u>Scale</u> <u>1:</u>	<u>Edition</u>
311/3	THESSALONIKI PORT	6.000	DEC 2016
431 (INT 3738)	MONEMVASIA UP TO SOYDA BAY.	150.000	DEC 2016

2. On publication of the above the chart 431 (INT 3738) the chart 431 at (ED-50) is permanently withdrawn.

<u>Αρ. Χάρτη</u>	<u>Τίτλος Χάρτη</u>	<u>Κλίμακα</u> <u>1:</u>	<u>Έκδοση</u>
431	MONEMVASIA UP TO SOYDA BAY.	150.000	SEP 1986 (Information: HNHS)

Notice Nr. 226/16

MEDITERRANEAN SEA - ELLAS - Ionio Sea- Kerkyra Port - Chart Update.

1. Insert the accompanying block, (A) in approximate position:

39° 36' 54'' N - 019° 50' 42'' E (Plan « KERKYRA PORT »).

2. Insert the accompanying block, (B) in approximate position:

39° 36' 54'' N - 019° 52' 00'' E (Plan « KERKYRA PORT »).

3. Insert the accompanying block, (C) in approximate position:

39° 36' 54'' N - 019° 53' 12'' E (Plan «KERKYRA PORT »).

CHART: **212/1** (INT 3493) « APPROACHES KERKYRA PORT » (Plan « KERKYRA PORT»). [177/2016].

(Information: HNHS)

Notice Nr. 227/16

MEDITERRANEAN SEA - ELLAS – Elefina Gulf - Leros Islet – Chart Update.

1. Substitute with: # the existing  37° 59' 32'' N - 023° 32' 30'' E.

2. Insert :  Εμπ , : 37° 59' 33'' N - 023° 32' 30'' E.

CHART: **412/6** [211/2015].

(Information: HNHS)

II

Notice Nr. 228/16

MEDITERRANEAN SEA - ELLAS - Sithonia Peninsula – Ampelos Cape – Wreck.

Insert : \oplus 39° 56' 09'' N - 023° 55' 18'' E.

CHART: **31** (INT 3704) [217/2016]

(Information: HNHS)

Notice Nr. 229/16

MEDITERRANEAN SEA - ELLAS – Thrakiko Sea - South of Maronia (Agios Charalampos) Small Port –Chart Update.

Substitute with # the existing \oplus : 40° 47' 54'' N - 025° 30' 24'' E

CHART: **3221** [182/2014]

(Information: HNHS)

Notice Nr. 230/16

MEDITERRANEAN SEA - ELLAS - Aegean Sea – Dodekanisa – Patmos Islands – Bay and Port of Skala – Anchorage.

1.

Insert: ----- \downarrow ----- , joining:

- a. 37° 19' 26'' N - 026° 33' 25'' E.
- b. 37° 19' 25'' N - 026° 33' 50'' E.
- c. 37° 19' 14'' N - 026° 33' 40'' E.
- d. 37° 19' 17'' N - 026° 33' 16'' E.
- e. 37° 19' 26'' N - 026° 33' 25'' E.

2.

Insert: ----- \downarrow ----- , joining:

- a. 37° 19' 06'' N - 026° 34' 05'' E.
- b. 37° 19' 05'' N - 026° 34' 32'' E.
- c. 37° 18' 59'' N - 026° 33' 48'' E.
- d. 37° 18' 44'' N - 026° 34' 23'' E.
- e. 37° 19' 06'' N - 026° 34' 05'' E.

CHART: **340/1** [166/2009]

(Information: Patmos Port Authorities)

II

Notice Nr. 231/16

MEDITERRANEAN SEA - ELLAS - Alexandroupolis Port – Evros River Mouth – Wreck.



Insert :  : 40° 42' 51'' N - 026° 00' 00'' E.

CHART: **322** [73/2015], **3221** [229/2016].

(Information: HNHS)

Notice Nr. 232/16

MEDITERRANEAN SEA - ELLAS – Thrakiko Sea - Thasos Island - Wreck.

Insert :  : 40° 37' 40,8'' N - 025° 01' 14,04'' E
(ED-50)


Insert :  : 40° 37' 37,2'' N - 025° 01' 12'' E
(WGS-84)

CHART : **321** (2) [218/2016], 3212 (INT 3776) (1) [73/2014].

(Information: HNHS)

III

GUIDELINES FOR CORRECTIONS TO THE LIST OF LIGHTS (EDN. 2015)

1. The amendments (changes, additions, deletions) to the List of Lights publication are included in volume No IV of the monthly editions of Notices to Mariners and are given in columns, as follows:
 - b. **First Column:** The number of the Hellenic List of Lights (light numbers) which is affected by the amendments is shown. If the number shown does not exist in the List of lights, then it is a new one and its characteristics must be recorded in the corresponding column of the List of Lights, between the ΑΕΦ.
 - c. **Other Columns:**
 - (1) The columns that are not affected are marked with two dashes (--).
 - Data in the columns that are affected should be written down, deleting all old data at the same time.
 - (2) Instructions for special cases (deleting columns or all columns of a cancelled light) are given in *italics*.
2. It is recommended to record small amendments by hand addition of a new “ΑΕΦ” or larger amendments should be cut out and pasted on the List of Lights.
3. Reference for the record of the monthly corrections is written in the following table.

Notice Nr. **233/16**

1	2	3	4	5	6	7	8
---	---	---	---	---	---	---	---

4020
E 4080

Square tower
Height 7,8m.

9310
E4726,3

White hexagonal
hut with metal
Framework,
gallery and red
band.
Height 8m.

9355
E4727,7

White hexagonal
hut with metal
Framework,
gallery and green
band.
Height 8m.

IV

Amendments to Sailing Directions

Notice Nr. 222/16

PILOT D (EDITION 2010) – Aegean Sea– Patmos Island – Bay and Port of Skala – Anchorage Areas.

156

L 62 After “seaweeds” **Add** Two Anchorages areas for the use of passengers and ferry vessels located : The first south of cape Vamvaka and the second north of cape Sapsilon. For details see chart 340/1.

Information: Patmos Port Authorities

V

Notice Nr.224/16

Mediterranean Sea-Hellas - New Edition, Chart Permanently Withdrawn Catalogue of Nautical Charts and Nautical Publications Update - (15th Edition 2014)

Pag. 3,37

Update the column on NUMERICAL INDEX, INTERNACIONAL CHARTS as follow:

Chart No.	/Page	Size	INT No. – NAT No.
311/3	18,19/52,53	B	-
431 (INT3738)	-	-	INT3738 - 431

Page 52

Insert with magenta the limit and the chart number 311/3 in position:
40° 30' 48'' B - 022° 50' 12'' A

Page 53

Insert between the chart numbers 311/2 και 312/1 the number and specifications of new chart 311/3.

Σελ.53

Chart No	Title of chart	Scale 1:	Edition	New Edition
311/3	Port of Thessaloniki (WGS-84)	6.000	2016	-

Page 45

Insert the specifications of New Chart 431(INT3738) WGS-84 as follow:

Chart No	INT	Title of chart	Edition
431	3738	Monemvasia to Souda Bay (WGS-84)	2016

(Information :HNHS)

VI

Notice Nr. 236/16

MEDITERRANEAN SEA - ELLAS – Charts effected by the notice to marines during the year 2016.

CHART NUMBER	Notice Number
2	74
4	18,38,180
016	155
21(INT 3416)	36
22 (INT 3418)	75,116,179
28	79,168
30	178
31 (INT 3704)	146,147,217,228
32	27,205
33	22,39
34	182
036	37
41 (INT 3702)	40
42	20,181,202
44 (INT 3714)	202
135	137
135/3	167
145	61
211	17
(INT 3492) 212	35,57,58,59,112,135,198,199
212/1 (INT 3493)	113,134,177,226
212/2 (WGS-84)	34,114
213/2	115
232	56
232/1	76
311/3 (WGS-84)	225
312 (INT 3720)	63,143,203
312/2	143
313	142
321 (WGS-84)	146,218,232
321/1 (INT 3777)	47,187
321/3	24
322	231
322/1	65
323	27,64,205,229
323/1	25
(INT 3724) 331	165
332	167
333 (INT 3726)	145,161
334	166
340/1	230
411 (INT 3728)	160,161,164,215,216

VI

CHART NUMBER

412 (INT 3760)
412/2
412/6
412/7 (INT3761)
415
415/3 (WGS-84)
421 (INT3732)
421/1
421/2
421/3
421/5
421/6
421/7
422
422/3
423 (INT 3734)
423/1
423/2
431 (INT 3738) (WGS-84)
432 (WGS-84)
433
433/1 (INT 3793)
443/1 (INT 3788) (WGS-84)
444
451/4 (WGS-84)
452/1
453
2111 (INT 3422) (WGS-84)
3111 (INT 3772)
3131
3132 (WGS-84)
3211
3212 (INT 3776)
3221
3321
3341
4511

Notice Number

41,45,139,160,162,200
61
227
138
157,183
118
23,42,77,145,159,162,163,184,201
141
19,140,158,185,212
21
214
46
119,213
94
94
77,186,202
93
44
225
176
117
43
53
60
26
97
95,96
73,136
62
144
197
206
232
229,231
219
204
78